INDEX
Petroleum Transactions, Volume 210

(Plus References to Articles and Technical Notes Published in Journal of Petroleum Technology in 1957)

A

ADEN, status in Middle East oil industry, (Art.) Apr. JPT, 21

AERATED FLUIDS: future in drilling, (Art.) Aug. JPT, 11

ALLEN, H. H., and LARUE, C. R.: *SACROC Unit Operations*, (Field Case Hist.) July JPT, 21

ANGEL, R. R.: *Volume Requirements for Air or Gas Drilling*, 325 (Dec. JPT)

ARKANSAS: McKamie-Patton field: pressure maintenance in Smackover lime gas-condensate reservoir: fractional balance evaluation, 108 (Apr. JPT)

ARONOFSKY, J. S., and HELLER, J. P.: *Diffusion Model to Explain Mixing of Flowing Miscible Fluids in Porous Media*, 345 (Dec. JPT)

ASPHALT: production and by-products: Bocán, Venezuela, field case history, May JPT, 27

ATKINS, E. R. JR.: *Discussion on Experimental Study on Influence of Chemical Composition of Electrolytes on SP Curve*, 70 (Feb. JPT)

AUFRICHT, W. R. and KOEPF, E. H.: *Interpretation of Capillary Pressure Data from Carbonate Reservoirs*, (Tech. Note) Oct. JPT, 53

AYCOCK, W. P., et al: *New Technique for Examination of Oilfield Brines*, (Tech. Note) Aug. JPT, 53

B

BAKER, P. E.: *Density Logging with Gamma Rays*, 289 (Oct. JPT)

Neutron Capture Gamma-Ray Spectra of Earth Formations, 97 (March JPT)

BAPTIST, O. C. and WHITE, E. J.: *Clay Content and Capillary Behavior of Wyoming Reservoir Sands*, (Tech. Note) Dec. JPT, 57

BEACH, H. J., and GOINS, W. C. JR.: *Method of Protecting Cements Against Harmful Effects of Mud Contamination*, 148 (May JPT); discussion, 152 (May JPT)

BEHN policy, (Art.) Oct. JPT, 13

BENTONITE: Wyoming: grain density measurements, 239 (Aug. JPT)

BERRY, V. J. JR., and JACOBY, R. H.: *Method for Predicting Depletion Performance of Reservoir Producing Volatile Crude Oil*, 27 (Jan. JPT)

BERRYMAN, J. E.: *Predicted Performance of a Gas-Condensate System, Washington Field, Louisiana*, 102 (Apr. JPT)

BETHEL, F. T., and HOLS, ARNOLD: *Discussion of Reservoir Characteristics, Cedar Creek Anticline Fields, Montana*, (Field Case Hist.) Dec. JPT, 23

BINDER, G. G. JR., JENKS, L. H., and CAMPBELL, J. B.: *Field Test of Gas-Driven Liquid Propane Method of Oil Recovery*, 34 (Feb. JPT)

BINGHAM PLASTIC: definition, 310 (Nov. JPT)

equations used in determining laminar flow of drilling mud due to axial pressure gradient and external torque, 310 (Nov. JPT)

BLENKARN, K. A., and LUBINSKI, ARTHUR: *Buckling of Tubing in Pumping Wells, Its Effects and Means for Controlling It*, 73 (March JPT)

BOLIVAR COASTAL FIELD and BOSCÁN FIELD. *See* Venezuela

BOTTOM-HOLE PRESSURE: reduction by gas cutting of drilling mud: Strong's equation simplified, (Tech. Note) July JPT, 49

BOYLE'S LAW POROSIMETER: new modification: operating principle and construction, 240 (Aug. JPT)

BRADLEY, H. B., and MULLINS, L. D.: *Potentiometric Analyzer Prediction of Pressure Distribution in Gas-Condensate Reservoir*, (Tech. Note) Sept. JPT, 59

BRAUN, P. H., et al: *Flooding in South Ward—Analysis of a Lease Performance*, 283 (Oct. JPT)

BRESTON, J. N.: *Selective Plugging of Waterflood Input Wells—Theory, Methods, and Results*, (Art.) March JPT, 26

BRINES, OILFIELD: tensammetric method for examination, (Tech. Note) Aug. JPT, 53

BROOKS, C. S.: *Evaluation of Procedures Used in Determination of Grain Densities of Petroleum Reservoir Minerals*, 235 (Aug. JPT)

BROWN, A. A.: *Discussion on Experimental Study on Influence of Chemical Composition of Electrolytes on SP Curve*, 70 (Feb. JPT)

BROWN, C. L.: *Bank Financing of Secondary Recovery Projects* (Art.) March JPT, 22

BROWN, W. O.: *Mobility of Connate Water During a Water Flood*, 190 (July JPT)

BUBBLE FREQUENCY: measurement in cores, 122 (Apr. JPT)

BUGBEE, J. M.: *Discussion on Method of Protecting Cements Against Harmful Effects of Mud Contamination*, 152 (May JPT)

BYNUM, R. S. JR., and KOEPF, E. H.: *Whole-Core Analysis Methods and Interpretation of Data from Carbonate Reservoirs*, (Art.) Nov. JPT, 11

C

CADDO-PINE ISLAND FIELD. *See* Louisiana

CALCITE: grain density measurements, 236 (Aug. JPT)

CALDWELL, B. M., and POULTER, T. C.: *Development of Shaped Charges for Oil Well Completion*, 11 (Jan. JPT)

CAMPBELL, J. B., JENKS, L. H., and BINDER, G. G., JR.: *Field Test of Gas-Driven Liquid Propane Method of Oil Recovery*, 34 (Feb. JPT)

CANADA: Pembina field, field case history, Sept. JPT, 21

CAPILLARY FORCES: role in laboratory water floods, (Tech. Note) Nov. JPT, 49

CAPILLARY PRESSURE: carbonate reservoirs, interpretation of data, (Tech. Note) Oct. JPT, 53
data define reservoir volumetric parameters, 252 (Sept. JPT)
data used to estimate connate water, to determine relation of water production to producing interval, or if oil-water contact is approached, 252 (Sept. JPT)
CARBONATE RESERVOIRS. *See* Reservoirs
CEDAR CREEK ANTICLINE FIELDS, MONTANA: characteristics, field case history, Dec. JPT, 23
CEMENT: resistant to contamination by drilling mud: decontaminating mixture, 148, 152 (May JPT)
CHAPMAN, A. H.: *Problems of the International Petroleum Industry in 1957*, (Art.) Oct. JPT, 11
CHAPPELEAR, J. E.: *Calculation of Wave Forces on a Sunken Obstruction*, 227 (Aug. JPT)
CLAY MINERALS: effect on formation water saturation in reservoir sands, Wyoming, laboratory study, (Tech. Note) Dec. JPT, 57
CLAY-VOLUME TEST for degree of dispersion in drilling muds, 93 (March JPT)
COCHRAN, C. D., et al: *Microbit Dynamic Filtration Studies*, 183 (June JPT)
COFFER, H. F., and REYNOLDS, J. J.: *Discussion on Mechanics of Hydraulic Fracturing*, 167 (June JPT)
COLES, B. E. JR., et al: *Flooding in South Ward—Analysis of a Lease Performance*, 283 (Oct. JPT)
COLORADO: Wilson Creek field, field case history, Aug. JPT, 23
COMPRESSIBILITY: gases and liquids: definition, (Tech Note) Jan. JPT, 69
COMPUTERS: automatic: applications, (Art.) Oct. JPT, 14
Datatron: calculations of two-phase flow, 47 (Oct. JPT)
CONNATE WATER: estimated by capillary pressure, 252 (Sept. JPT)
mobility during a water flood, 190 (July JPT)
COOK, A. B.: *Alternate Producing and Gas Repressuring for Greater Oil Recovery*, (Art.) May JPT, 15
CORES: analysis of whole cores, carbonate reservoirs: methods used and interpretation of data, (Art.) Nov. JPT, 11
bubble frequency, 122 (Apr. JPT)
pore size distribution and displacement experiments with miscible liquids, (Tech. Note) Apr. JPT, 63
CRAIG, F. F. JR., and KOELLER, R. C.: *Discussion on Mobility Ratio—Its Influence on Injection or Production Histories in Five-Spot Water Flood* (Vol. 207), Apr. JPT, 71
CRAIG, F. F. JR., et al: *Laboratory Study of Gravity Segregation in Frontal Drives*, 275 (Oct. JPT); discussion, 281 (Oct. JPT)
CRAWFORD, G. W., et al: *New Technique for Examination of Oilfield Brines*, (Tech Note) Aug. JPT, 53
CRAWFORD, P. B., and LANDRUM, B. L.: *Estimated Effect of Horizontal Fractures in Thick Reservoirs on Pattern Conductivity*, (Tech. Note) Oct. JPT, 50
CRITICAL FLOW PROVER: study of Bureau of Mines coefficients, (Tech. Note) Sept. JPT, 61
CRUDE OIL: viscous fluid: production at Boscán, field case history, May JPT, 27

D

DARCY'S LAW: generalized equation predicts pressure drop over all ranges of Reynolds numbers, (Tech. Note) June JPT, 45
DARLEY, H. C. H.: *Test for Degree of Dispersion in Drilling Muds*, 93 (March JPT)
DATATRON. *See* Computers
DEILY, F. H., et al: *Microbit Dynamic Filtration Studies*, 183 (June JPT)
DENSITY LOGGING: with back-scattered gamma rays, 289 (Oct. JPT)
DENVER-JULESBURG BASIN: relation between gamma radiation and permeability, (Tech. Note) Feb. JPT, 65
DE WITTE, A. J.: *Influence of Differential Displacement in Invaded Oil and Gas Sands on the Induction Log*, (Tech. Note) June JPT, 48; discussion, Dec. JPT, 61
DE WITTE, A. J., and WARREN, J. E.: *Discussion on Effect of Fluid Pressure Decline on Volumetric Changes of Porous Rocks*, 339 (Dec. JPT)
DE WITTE, LEENDERT: *Discussion on Influence of Differential Displacement in Invaded Oil and Gas Sands on the Induction Log* (Tech. Note), Dec. JPT, 61
Discussion on Interpretation of the Induction-Electrical Log in Fresh Mud, 61 (Dec. JPT)
DISPLACEMENT LOGGING: influence of differential displacement on induction log, (Tech. Note) June JPT, 48
DOH, C. A., et al.: *Method of Formation Testing on Logging Cable*, 260 (Sept. JPT)
DOLAN, J. P., et al.: *Special Applications of Drill-Stem Test Pressure Data*, 318 (Nov. JPT)
DRILLING: air as medium: hole-cleaning difficulties analyzed, 325 (Dec. JPT)
air or gas as medium: advantages, disadvantages, and relative merits of aerated fluids, (Art.) Aug. JPT, 11
bottom-hole pressures: calculated, 325 (Dec. JPT)
volume requirements: rate of drilling should be considered, 325 (Dec. JPT)
vertical flow equation, 325 (Dec. JPT)
directional: importance of planning and supervision, (Art.) Nov. JPT, 16
filtration studies with microbit rig, 183 (June JPT)
offshore. *See* offshore
rate: considered in determining volume requirements for air or gas drilling, 325 (Dec. JPT)
DRILLING MUD: aerated fluids, advantages and uses, (Art.) Aug. JPT, 11
contamination of cement prevented by decontaminating mixture added to cement, 148, 152 (May JPT)
dispersion of montmorillonite clays; degree, clay-volume test, 93 (March JPT)
dynamic filtration: little relation to changes in fluid properties, 183 (June JPT)
study with microbit, 183 (June JPT)
filtration: characteristics, 126 (May JPT)
surge loss period, 126 (May JPT)
gas cutting as means of reducing bottom-hole pressure, (Tech. Note) July JPT, 49

fresh: induction electrical logging: interpretation, 202 (July JPT)
laminar flow due to axial pressure gradient and external torque; solution by use of three-dimensional, stress-deformation rate equations for a Bingham plastic, 310 (Nov. JPT)
oil emulsion: resistivity in relation to resistivity of mud filtrates and mud cakes, (Tech. Note) Aug. JPT, 51
particle invasion into porous media, 132 (May JPT)
DRILL-STEM TESTING: pressure charts: accurate reading, method, 318 (Nov. JPT)
pressure data determinations: barriers, 318 (Nov. JPT)
effective permeability, 318 (Nov. JPT)
original formation pressure, 318 (Nov. JPT)
productivity index and wellbore damage, 318 (Nov. JPT)
DUMANOIR, J. L., et al.: *Interpretation of the Induction-Electrical Log in Fresh Mud*, 202 (July JPT); discussion, 215 (July JPT); discussion, 61 (Dec. JPT)
DYES, A. B., et al.: *Flooding in South Ward—Analysis of a Lease Performance*, 283 (Oct. JPT)

E

EARLOUGHER, R. C., and LOVE, W. W.: *Sequestering Agents for Prevention of Scale Deposition in Oil Wells*, (Art.) Apr. JPT, 17
EARTH MATERIALS: identification by induced gamma-ray spectral analysis, 89 (March JPT)
neutron gamma-ray spectra measured downhole: laboratory study, 97 (March JPT)
ECKLES, W. W. JR.: *Composition Correlations of Natural Gas in Reservoir Engineering Problems*, (Tech. Note) May JPT, 61
EDISON, J. E.: *Engineering Planning and Supervision of Directional Drilling Operations*, (Art.) Nov. JPT, 16
EDISON, T. O.: *Gas Injection Performance Review of the LL-370 Reservoir in the Bolivar Coastal Field, Venezuela*, (Field Case Hist.) June JPT, 19
EGYPT: status in Middle East oil industry, (Art.) Apr. JPT, 21
EINARSEN, C. A., et al.: *Special Applications of Drill-Stem Test Pressure Data*, 318 (Nov. JPT)
ELECTRIC LOGGING: formation tester on cable a valuable adjunct, 260 (Sept. JPT)
influence of chemical composition of electrolytes on SP curve, 58, 71 (Feb. JPT)
resistivity of oil-emulsion mud, of mud filtrate, and of mud cake (Tech. Note) Aug. JPT, 51
EMULSIONS: non-plugging perforating fluids prepared with tetrachloroethylene, 177 (June JPT)
ENGINEERING EDUCATION: will today's petroleum engineering graduate meet tomorrow's challenge? (Art.) Aug. JPT, 15

F

FANCHER, G. H., et al.: *A Study of the Orifice Well Tester and Critical Flow Prover*, (Tech. Note) Sept. JPT, 61
FANNING FRICTION FACTOR AND REYNOLDS NUMBER CORRELATION: evaluation of precision of analysis of non-Newtonian fluids, 196 (July JPT)
FIELDS, R. Q., et al.: *Method of Formation Testing on Logging Cable*, 260 (Sept. JPT)
FLOW (*See also* Fluid Flow): fluids in porous media: model study of gravity segregation in frontal drives, 275, 281 (Oct. JPT)
two-phase in oil reservoirs: application of Datatron calculations to petroleum reservoir research, (Tech. Note) Oct. JPT, 47
oil-water displacement: study with transparent model, 295, 301 (Oct. JPT)
FLUID FLOW IN POROUS MEDIA (*see also* Flow): displacement experiments with miscible liquids and study of pore size distribution, (Tech. Note) Apr. JPT, 63
oil-water: macroscopic and microscopic laboratory tests, (Tech. Note) Nov. JPT, 49
pressure decline: effect on volume changes of porous rocks, 331 (Dec. JPT)
two miscible liquids of equal viscosity and density: model study, 345 (Dec. JPT)
FLUIDS: saturated and unsaturated oil reservoirs, sampling, (Art.) Dec. JPT, 15
FOREIGN OIL OPERATIONS BY AMERICANS: problems, (Art.) Oct. JPT, 11
FOREIGN PRIVATE INVESTMENT IN DEVELOPING COUNTRIES: advantages to the country and conditions conducive of success, (Art.) Dec. JPT, 11
FORMATION FRACTURING: development at Roosevelt pool, Utah, field case history, Oct. JPT, 23
horizontal: effect on pattern conductivity in thick reservoirs, model study, (Tech. Note) Oct. JPT, 50
hydraulic, mechanics, 153 (June JPT)
FORMATION TESTER ON LOGGING CABLE: adjunct to electric logging and side-wall coring, 260 (Sept. JPT)
field tests, 262, 264 (Sept. JPT)
FOTHERGILL, C. A.: *Improved Blotter Model for Analog Studies*, (Tech. Note) Dec. JPT, 55
FRONTAL DRIVE: gravity segregation: laboratory study, 275 (Oct. JPT)
production mechanisms: displacing fluid saturation at breakthrough, new method of calculating, (Tech. Note) Apr. JPT, 67

G

GAMMA RADIATION: neutron capture gamma-ray spectra of earth formations, laboratory study, 97 (March JPT)
relation to permeability, Denver-Julesburg basin, (Tech. Note) Feb. JPT, 65
spectral analysis: identification of earth materials, 89 (March JPT)
GAMMA-RAY LOGGING: calibrator for radioactivity logs, (Art.) Sept. JPT, 11
formation density, 289 (Oct. JPT)
GAS (*see also* Natural Gas): well gas composition correlations obtained from mass spectrometer recordings used for identification of producing horizons and connections, (Tech. Note) May JPT, 61

GAS-CONDENSATE RESERVOIR: pressure depletion: calculation from field-test data, laboratory analysis, and engineering calculations, 102 (Apr. JPT)
pressure maintenance: fractional balance evaluation, 108 (Apr. JPT)
prediction of pressure distribution by potentiometric analysis, (Tech. Note) Sept. JPT, 59
Smackover lime, McKamie-Patton field: pressure maintenance, fractional balance equation, 108 (Apr. JPT)
GAS-CAP DRIVE: depletion history and future performance of reservoir: calculation, 218 (July JPT)
GAS DRIVE (*see also* Secondary Recovery): alternately producing and repressuring: greater oil recovery, (Art.) May JPT, 15
batch gas cycling, (Art.) May JPT, 15
displacing fluid saturation at breakthrough, new method of calculating, (Tech. Note) Apr. JPT, 67
gravity segregation, model study, 275, 281 (Oct. JPT)
South Ward field, history, 283 (Oct. JPT)
study with transparent model, 295, 301 (Oct. JPT)
uniformity of flood front: influences on, 275, 281 (Oct. JPT)
GAS INJECTION: LL-370 reservoir Bolivar Coastal field: review of performance, field case history, June JPT, 19
GAS-OIL RATIO: measurements by orifice well tester and critical flow prover: study of published data, (Tech. Note) Sept. JPT, 61
GAS WELLS: back-pressure: predicting: mathematical formulas, 302 (Nov. JPT)
low permeability: field data on back pressure compared with calculations, 302 (Nov. JPT)
predicting back pressure behavior, 302 (Nov. JPT)
temperature, distribution, 169 (June JPT)
GEERTSMA, J.: *Effect of Fluid Pressure Decline on Volumetric Changes of Porous Rocks*, 331 (Dec. JPT); discussion, 339 (Dec. JPT)
GEFFEN, T. M., and HALL, H. N.: *Laboratory Study of Solvent Flooding*, 48 (Feb. JPT)
GEFFEN, T. M., et al.: *Laboratory Study of Gravity Segregation in Frontal Drives*, 275 (Oct. JPT); discussion, 281 (Oct. JPT)
GEOPHYSICS: and geology in Gulf Coast development, (Art.) May JPT, 19
GLANVILLE, J. W.: *Rate of Return Calculations as Measurement of Investment Opportunities*, (Art.) June JPT, 12
GLENN, E. E., and SLUSSER, M. L.: *Factors Affecting Well Productivity—II. Drilling Fluid Particle Invasion into Porous Media*, 132 (May JPT)
GLENN, E. E., SLUSSER, M. L., and HUITT, J. L.: *Factors Affecting Well Productivity — I. Drilling Fluid Filtration*, 126 (May JPT)
GOINS, W. C. JR., and BEACH, H. J.: *Method of Protecting Cements Against Harmful Effects of Mud Contamination*, 148 (May JPT); discussion, 152 (May JPT)
GONDOUIN, M., TIXIER, M. P., and SIMARD, G. L.: *Experimental Study on Influence of Chemical Composition of Electrolytes on SP Curve*, 58 (Feb. JPT); discussion, 71 (Feb. JPT)
GONZALES, R. J.: *Petroleum for Our Future Progress*, (Art.) March JPT, 14
GREYTOK, FRANK, et al.: *Method of Calculating Distribution of Temperature in Flowing Gas Wells*, 169 (June JPT)
GROSMANGIN, MICHEL, and WALKER, E. B.: *Gas Detection by Dual-Spacing Neutron Logs in the Greater Oficina Area, Venezuela*, 140 (May JPT)
GROVE, M. L., et al.: *Method for Predicting Back Pressure Behavior of Low Permeability Natural Gas Wells*, 302 (Nov. JPT)
GULF COAST: Texas and Louisiana: geological and engineering thinking, past, present, and future, (Art.) May JPT, 19
GULF OF MEXICO: directional drilling from Padre Island, planning, supervision, and benefits obtained (Art.) Nov. JPT, 16
GUYOD, HUBERT: *Discussion on Interpretation of Induction-Electrical Log in Fresh Mud*, 216 (July JPT)

H

HALBOUTY, M. T.: *Geological and Engineering Thinking in the Gulf Coast of Texas and Louisiana—Past, Present, and Future*, (Art.) May JPT, 19
HALL, H. N., and GEFFEN, T. M.: *Laboratory Study of Solvent Flooding*, 48 (Feb. JPT)
HEAT: applied to oil sands: effect on oil recovery: field test results and possibility of profitable operation, (Art.) Feb. JPT, 16
HELLER, J. P., and ARONOFSKY, J. S.: *Diffusion Model to Explain Mixing of Flowing Miscible Fluids in Porous Media*, 345 (Dec. JPT)
HENDERSON, J. H., and SMITH, M. R.: *Performance of a Solution Gas Drive Reservoir, Rosenwald Pool, Oklahoma*, (Field Case Hist.) Jan. JPT, 25
HILL, G. A., et al.: *Special Applications of Drill-Stem Test Pressure Data*, 318 (Nov. JPT)
HINDS, R. F., and REUDELHUBER, F. O.: *Compositional Material Balance Method for Prediction of Recovery from Volatile Oil Depletion Drive Reservoirs*, 19 (Jan. JPT)
HOLBERT, D. R.: *Profiling Water Injection Wells by the Brine-Fresh Water Interface Method*, (Art.) June JPT, 11
HOLS, ARNOLD, and BETHEL, F. T.: *Discussion of Reservoir Characteristics, Cedar Creek Anticline Fields, Montana*, (Field Case Hist.) Dec. JPT, 23
HORNER, VICTOR, et al.: *Microbit Dynamic Filtration Studies*, 183 (June JPT)
HOUGH, E. W., et al.: *New Technique for Examination of Oilfield Brines*, (Tech. Note) Aug. JPT, 53
HOWER, W. F., and RAMOS, JOE: *Selective Plugging of Injection Wells by In Situ Reactions*, (Art.) Jan. JPT, 17
HUBBERT, M. K., and WILLIS, D. G.: *Mechanics of Hydraulic Fracturing*, 153 (June JPT); discussion, 167 (June JPT)
HUDDLESTON, B. P., and STRANGE, W. D.: *Future of Aerated Fluids in the Drilling Industry*, (Art.) Aug. JPT, 11

HUITT, J. L., GLENN, E. E., and SLUSSER, M. L.: *Factors Affecting Well Productivity—I. Drilling Fluid Filtration,* 126 (May JPT)
HYDRAULIC FRACTURING: mechanics, 153 (June JPT)
HYDROCARBON RESERVOIR FLUIDS: undersaturated: compressibility estimated from field data and bottom-hole pressure data, 341 (Dec. JPT)

I

ILLINOIS: Parker pool: application of heat for recovery of oil: field test results and possibility of profitable operation, (Art.) Feb. JPT, 16
ILLITE: effect on formation water saturation of reservoir sands, laboratory study, (Tech. Note) Dec. JPT, 57
INDUCTION-ELECTRICAL LOGGING: definition, 202 (July JPT)
in fresh mud: interpretation, 202 (July JPT)
INDUCTION LOG: influence of differential displacement in invaded oil and gas sands, (Tech. Note) June JPT, 48
INDUCTION LOGGING: definition and properties of log, 204 (July JPT)
INDUSTRIALIZATION, in developing countries, promoted by foreign private investment, (Art.) Dec. JPT, 11
INTERFACE METHOD: brine and fresh water, of profiling water injection wells: moving interface and constant interface techniques, (Art.) July JPT, 11
INTERNATIONAL PETROLEUM INDUSTRY: problems, (Art.) Oct. JPT, 11
INVESTMENTS: opportunities: analysis by discounted cash-flow method, (Art.) June JPT, 12
rate of return: calculations as measure of opportunities, (Art.) June JPT, 12
INVESTMENTS: private, in foreign developing countries, advantages to the country and conditions conducive of success, (Art.) Dec. JPT, 11
ISRAEL, IRAN, and IRAQ: status in Middle East oil industry, (Art.) Apr. JPT, 21

J

JACOBY, R. H., and BERRY, V. J. JR.: *Method for Predicting Depletion Performance of Reservoir Producing Volatile Crude Oil,* 27 (Jan. JPT)
JENKS, L. H., BINDER, G. G. JR., and CAMPBELL, J. B.: *Field Test of Gas-Driven Liquid Propane Method of Oil Recovery,* 34 (Feb. JPT)
JENNINGS, B. B.: *Mankind's Stake in Middle East Oil,* (Art.) Apr. JPT, 21
JENSON, P. E., and WILKIN, F. L.: *Discussion on Interpretation of Induction-Electrical Log in Fresh Mud,* 215 (July JPT)
JET PERFORATING: thermal reactions: sandstone, limestone, and dolomite cores, (Art.) May JPT, 12
JORDAN, status in Middle East oil industry, (Art.) Apr. JPT, 21
JUST, EVAN: *Foreign Private Investment — A Boon to Developing Countries* (Art.) Dec. JPT, 11
JUSTEN, J. J.: *Canada's Pembina Field,* (Field Case Hist.) Sept. JPT, 21

K

KAOLINITE: effect on formation water saturation of reservoir sands, laboratory study, (Tech. Note) Dec. JPT, 57
KELLY-SNYDER FIELD, TEXAS: unit operation, field case history, July JPT, 21
KENNEDY, H. T., and WIELAND, D. R.: *Measurements of Bubble Frequency in Cores,* 122 (Apr. JPT)
KIRBY, J. E. JR., et al.: *Calculation of Depletion History and Future Performance of Gas-Cap-Drive Reservoir,* 218 (July JPT)
KLINKENBERG, L. J.: *Pore Size Distribution of Porous Media and Displacement Experiments with Miscible Liquids,* (Tech. Note) Apr. JPT, 63
KOCH, H. A. JR., and SLOBOD, R. L.: *Miscible Slug Process,* 40 (Feb. JPT)
KOELLER, R. C., and CRAIG, F. F. JR.: *Discussion on Mobility Ratio—Its Influence on Injection or Production Histories in Five-Spot Water Flood* (Vol. 207), Apr. JPT, 71
KOEPF, E. H., and AUFRICHT, W. R.: *Interpretation of Capillary Pressure Data from Carbonate Reservoirs,* (Tech. Note) Oct. JPT, 53
KOEPF, E. H., and BYNUM, R. S. JR.: *Whole-Core Analysis Methods and Interpretation of Data from Carbonate Reservoirs,* (Art.) Nov. JPT, 11
KUWAIT: status in Middle East oil industry, (Art.) Apr. JPT, 21

L

LADD, J. B.: *Wilson Creek Field, Rio Blanco County, Colorado,* (Field Case Hist.) Aug. JPT, 23
LAIR, G. H., et al.: *Reservoir Volumetric Parameters Defined by Capillary Pressure Studies,* 252 (Sept. JPT)
LAMONT, NORMAN: *Relationships Between the Mud Resistivity, Mud Filtrate Resistivity, and Mud Cake Resistivity of Oil Emulsion Mud Systems,* (Tech. Note) Aug. JPT, 51
LANDRUM, B. L., and CRAWFORD, P. B.: *Estimated Effect of Horizontal Fractures in Thick Reservoirs on Pattern Conductivity,* (Tech. Note) Oct. JPT, 50
LANGFORD, B. J., et al.: *Reservoir Volumetric Parameters Defined by Capillary Pressure Studies,* 252 (Sept. JPT)
LaRUE, C. R., and ALLEN, H. H.: *SACROC Unit Operations,* (Field Case Hist.) July JPT, 21
LAURENCE, L. L., and WORLEY, M. S.: *Oil and Gas Separation IS a Science,* (Art.) *Apr.* JPT, 11
LEBANON: status in Middle East oil industry, (Art.) Apr. JPT, 21
LEBOURG, M., et al.: *Method of Formation Testing on Logging Cable,* 260 (Sept. JPT)
LEBOURGEOIS, GUY: *Producing Viscous Fluids,* (Field Case Hist.) May JPT, 27
LESEM, L. B., et al.: *Method of Calculating Distribution of Temperature in Flowing Gas wells,* 169 (June JPT)
A Study of the Orifice Well Tester and Critical Flow Prover, (Tech. Note) Sept. JPT, 61
LIMESTONE: cores: grain density measurements, 236 (Aug. JPT)
heterogeneous: log analysis, 268 (Sept. JPT)

LOUISIANA: Caddo-Pine Island field: geology, development history, drilling and completion, including hydraulic fracturing, (Art.) Jan. JPT, 11
hydraulic fracturing in Caddo-Pine Island field, (Art.) Jan. JPT, 11
Washington field: calculation of pressure depletion of gas-condensate reservoir, 102 (Apr. JPT)
LOVE, W. W., and EARLOUGHER, R. C.: *Sequestering Agents for Prevention of Scale Deposition in Oil Wells*, (Art.) Apr. JPT, 17
LPG: as solvent for oil recovery, with modified gas drive, laboratory study, 48 (Feb. JPT)
injection into reservoir prior to gas injection: miscible slug process, 40 (Feb. JPT)
LUBINSKI, ARTHUR, and BLENKARN, K. A.: *Buckling of Tubing in Pumping Wells, Its Effects and Means for Controlling It*, 73 (March JPT)

M

MAROTTA, FRANK, et al.: *Method of Calculating Distribution of Temperature in Flowing Gas Wells*, 169 (June JPT)
MARTIN, MAURICE, et al.: *Interpretation of the Induction-Electrical Log in Fresh Mud*, 202 (July JPT); discussion, 215 (July JPT); discussion, 61 (Dec. JPT)
MASS SPECTROMETER: recordings of well gas composition correlations used for identification of producing horizons and connections, (Tech. Note) May JPT, 61
MCCARTY, D. G., and PEACEMAN, D. W.: *Application of Large Computers to Reservoir Engineering Problems*, (Art.) Oct. JPT, 14
MCEWEN, C. R.: *Discussion on Laboratory Investigation of Effect of Rate on Recovery of Oil by Water Flooding*, 59 (Nov. JPT)
MCEWEN, C. R., and SHERBORNE, J. E.: *Impact of Research on Oil Recovery*, (Art.) Feb. JPT, 11
MCKAMIE-PATTON FIELD, ARKANSAS: pressure maintenance in Smackover lime gas-condensate reservoir: fractional balance evaluation, 108 (Apr. JPT)
MCKETTA, J. J. JR., et al.: *Method of Calculating Distribution of Temperature in Flowing Gas Wells*, 169 (June JPT)
A Study of the Orifice Well Tester and Critical Flow Prover, (Tech. Note) Sept. JPT, 61
MELTON, L. L., and SAUNDERS, C. D.: *Rheological Measurements of Non-Newtonian Fluids*, 196 (July JPT)
MERCIER, V. J., and REDFORD, W. H.: *New Calibration and Conversion Techniques for Radioactivity Logs*, (Art.) Sept. JPT, 11
MICROBIT DRILLING RIG: applied in filtration studies, 183, (June JPT)
MIDDLE EAST OIL: mankind's stake, (Art.) Apr. JPT, 21
MINERALS: grain density measurements on cores, 235 (Aug. JPT)
MODELS: blotter on plastic base: operation and uses, 55 (Dec. JPT)
diffusion: for explanation of mixing of flowing miscible liquids of equal viscosity and density in porous media, 345 (Dec. JPT)
electric: study of effect of horizontal fractures in thick reservoirs on pattern conductivities, (Tech. Note) Oct. JPT, 50
potentiometric: gas-condensate reservoir: prediction of pressure distribution by analysis, (Tech. Note) Sept. JPT, 59
reservoirs for study of effect of rate on recovery of oil by waterflooding, 114 (Apr. JPT)
scaled reservoir: gravity segregation in frontal drives, 275, 281 (Oct. JPT)
scaling techniques, 275, 281 (Oct. JPT)
transparent three-dimensional for study of mechanism of flow processes in oil reservoirs, 295, 301 (Oct. JPT)
MONAGHAN, RALPH, and YOUMANS, ARTHUR: *Stability Requirements for Scintillation Counters Used in Radio-activity Logging*, 231 (Aug. JPT)
MONTANA, CEDAR CREEK. *See* Cedar Creek
MONTMORILLONITE: effect on formation water saturation of reservoir sands, laboratory study, (Tech. Note) Dec. JPT, 57
MOORE, D. W., et al.: *Laboratory Study of Gravity Segregation in Frontal Drives*, 275 (Oct. JPT); discussion, 281 (Oct. JPT)
MOORE, W. D., and WOODDY, L. D. JR.: *Performance Calculations for Reservoirs with Natural or Artificial Water Drives*, 245 (Aug. JPT)
MORGAN, B. E., and PRIEST, G. G.: *Emulsions for Use as Non-plugging Perforating Fluids*, 177 (June JPT)
MUENCH, N. L., and OSOBA, J. S.: *Identification of Earth Materials by Induced Gamma-Ray Spectral Analysis*, 89 (March JPT)
MULLINS, L. D., and BRADLEY, H. B.: *Potentiometric Analyzer Prediction of Pressure Distribution in Gas-Condensate Reservoir*, (Tech. Note) Sept. JPT, 59

N

NATURAL GAS (*see also* Gas): compressibility, (Tech. Note) Jan. JPT, 69
detection by dual spacing neutron logs: in Greater Oficina area, Venezuela, 140 (May JPT)
NATURAL GAS WELLS. *See* Gas Wells
NEUTRON CALIBRATOR: D-368, (Art) Sept. JPT, 11
NEUTRON CURVE CONVERSION CHARTS: (Art.) Sept. JPT, 11
NEUTRON-GAMMA LOG: heterogeneous carbonate reservoirs, interpretation, 268 (Sept. JPT)
NEUTRON LOGS: dual spacing for detection of natural gas: in Greater Oficina area, Venezuela, 140 (May JPT)
NON-NEWTONIAN FLUIDS: analysis of rheological properties, 196 (July JPT)
Fanning friction factor-Reynolds number correlation evaluation of precision of analysis, 196 (July JPT)

O

OFFSHORE DRILLING: directional: planning and supervision, Padre Island, Gulf of Mexico, and benefits obtained, (Art.) Nov. JPT, 16
wave force on sunken obstruction: calculation, 227 (Aug. JPT)
OIL PRODUCTION: United States: factors affecting, (Art.) March JPT, 14
OIL RECOVERY: effect of borehole heating, theory, 1 (Jan. JPT)

heat applied to oil sands: field test results and possibility of profitable operation, (Art.) Feb. JPT, 16
importance of research, (Art.) Feb. JPT, 11
improvement of efficiency by use of gas-driven liquid propane, 34 (Feb. JPT)
miscible slug process, 40 (Feb. JPT)
solvent flooding with modified gas drive, laboratory study, 48 (Feb. JPT)
volatile oil depletion drive reservoirs: prediction by compositional material balance method, 19 (Jan. JPT)
prediction by stepwise method of calculation, 27 (Jan. JPT)
waterflooding: effect of rate of advance of water, laboratory investigation, 114 (Apr. JPT); discussion, 59 (Nov. JPT)
OIL RESERVOIRS: saturated and unsaturated, sampling fluids, (Art.) Dec. JPT, 15
OIL-WATER CONTACT IN RESERVOIR: indicated by capillary pressure, 252 (Sept. JPT)
OIL WELLS: scale deposition: prevention by phosphate sequestering agents, (Art.) Apr. JPT, 17
OKLAHOMA: Olympic pool. *See* Olympic
Rosenwald pool: performance, actual compared with predicted, field case history, Jan. JPT, 25
OLYMPIC POOL, OKLAHOMA: water flood, field case history, Feb. JPT, 29
O'RIELLY, W. M., and TRUE, M. E.: *Subsurface Sealing of Tubing Thread Leaks*, (Tech Note) March JPT, 67
ORIFICE WELL TESTER: study of published data, (Tech. Note) Sept. JPT, 61
OSOBA, *J. S.*, and MUENCH, N. L.: *Identification of Earth Materials by Induced Gamma-Ray Spectral Analysis*, 89 (March JPT)

P

PARKER POOL. *See* Illinois
PASLAY, P. R., and SLIBAR, A.: *Laminar Flow of Drilling Mud Due to Axial Pressure Gradient and External Torque*, 310 (Nov. JPT)
PATTERSON, B. F. JR.: *Hydraulic Fracturing in the Caddo-Pine Island Field*, (Art.) Jan. JPT, 11
PEACEMAN, D. W., and MCCARTY, D. G.: *Application of Large Computers to Reservoir Engineering Problems*, (Art.) Oct. JPT, 14
PEMBINA FIELD, CANADA: field case history, Sept. JPT, 21
PERFORATING: jet. *See* Jet
PERFORATING FLUIDS: non-plugging emulsions prepared with tetrachloroethylene, 177 (June JPT)
PERKINS, F. M. JR.: *Discussion on Laboratory Study of Gravity Segregation in Frontal Drives*, 281, (Oct. JPT)
on *Use of Transparent Three-Dimensional Models for Studying Mechanism of Flow Processes in Oil Reservoirs*, 300 (Oct. JPT)
Investigation of the Role of Capillary Forces in Laboratory Water Floods, (Tech. Note) Nov. JPT, 49
PERKINS, F. M. JR., and RICHARDSON, J. G.: *Laboratory Investigation of Effect of Rate on Recovery of Oil by Waterflooding*, 114 (Apr. JPT); discussion, 59 (Nov. JPT)
PERMEABILITY: relation to gamma radiation, Denver-Julesburg basin, (Tech. Note) Feb. JPT, 65
PETROLEUM RESERVES: United States: estimates and factors affecting, (Art.) March JPT, 14
PETROLEUM RESERVOIR MINERALS: effective grain densities, 235 (Aug. JPT)
PHOSPHATE: sequestering agents for prevention of scale in oil wells, (Art.) Apr. JPT, 17
POETTMANN, F. H., et al.: *Method for predicting Back Pressure Behavior of Low Permeability Natural Gas Wells*, 302 (Nov. JPT)
POLAROGRAPHIC TECHNIQUE for examination of oilfield brines, (Tech. Note) Aug. JPT, 53
POROSIMETER: Boyle's law: new modification, operating principle and construction, 240 (Aug. JPT)
POROSITY: heterogeneous carbonate reservoirs log interpretation, 268 (Sept. JPT)
new pycnometer for measuring bulk and grain volumes, (Tech. Note) July JPT, 51
POROUS MEDIA (*see also* Fluid Flow): pore size distribution and displacement experiments with miscible liquids, (Tech. Note) Apr. JPT, 63
POTENTIOMETRIC ANALYZER: prediction of pressure distribution in gas-condensate reservoirs: model study, (Tech. Note) Sept. JPT, 59
POULTER, T. C., and CALDWELL, B. M.: *Development of Shaped Charges for Oil Well Completion*, 11 (Jan. JPT)
PRESSURE DROP: generalized Darcy equation predicts over-all ranges of Reynolds numbers, (Tech. Note) June JPT, 45
PRIEST, G. G., and MORGAN, B. E.: *Emulsions for Use as Non-plugging Perforating Fluids*, 177 (June JPT)
PROPANE: injection into reservoir prior to gas injection: miscible slug process, 40 (Feb. JPT)
liquid: gas-driven for increasing oil recovery, 34 (Feb. JPT)
PYCNOMETER: Nutting and modified Nutting: advantages, operation, and uses, (Tech. Note) July JPT, 51

Q

QATAR: status in Middle East oil industry, (Art) Apr. JPT, 21

R

RABE, C. L.: *Relation Between Gamma Radiation and Permeability, Denver-Julesburg Basin*, (Tech. Note) Feb. JPT, 65
RADIATION. *See* Gamma
RADIOACTIVITY LOGGING: stability requirements of scintillation counters, 231 (Aug. JPT)
RADIOACTIVITY LOGS: calibration and conversion techniques employing a gamma-ray calibrator and D-368 neutron calibrator, (Art.) Sept. JPT, 11
RAMOS, JOE, and HOWER, W. F.: *Selective Plugging of Injection Wells by In Situ Reactions*, (Art.) Jan. JPT, 17
REDFORD, W. H., and MERCIER, V. J.: *New Calibration and Conversion Techniques for Radioactivity Logs*, (Art.) Sept. JPT, 11
RELATIVE PERMEABILITY: steady-state: use in calculating waterflooding performance, (Tech. Note) May JPT, 64

RESEARCH: impact on oil recovery, (Art.) Feb. JPT, 11
RESERVOIR ENGINEERING: analysis of performance data, Johnson lease, South Ward field, Texas, 283 (Oct. JPT)
RESERVOIR FLUIDS: undersaturated: compressibility estimated from field data and bottom-hole pressure data, 341 (Dec. JPT)
RESERVOIR MINERALS: effective grain densities, 235 (Aug. JPT)
RESERVOIR ROCKS: porous: simplification of basic formulas and measurement of remaining deformation constants, 331 (Dec. JPT)
volume changes, effect of fluid pressure decline, 331 (Dec. JPT)
RESERVOIR SANDS: Wyoming: capillary behavior attributable to clay-mineral effects, laboratory study, (Tech. Note) Dec. JPT, 57
RESERVOIRS: (*see also* Oil Reservoirs): carbonate: capillary pressure data, interpretation, (Tech. Note) Oct. JPT, 53
Cedar Creek anticline, characteristics, field case history, Dec. JPT, 23
log interpretation, 268 (Sept. JPT)
whole-core analysis and interpretation of data, (Art.) Nov. JPT, 11
Cedar Creek anticline fields, Montana: characteristics, field case history, Dec. JPT, 23
depletion drive: volatile oil recovery: prediction by compositional material balance method, 19 (Jan. JPT)
prediction by stepwise method of calculation, 27 (Jan. JPT)
solution gas drive: performance, actual compared with predicted, Rosenwald pool, field case history, Jan. JPT, 25
REUDELHUBER, F. O.: *Sampling Procedures for Oil Reservoir Fluids,* (Art.) Dec. JPT, 15
REUDELHUBER, F. O., and Hinds, R. F.: *Compositional Material Balance Method for Prediction of Recovery from Volatile Oil Depletion Drive Reservoirs,* 19 (Jan. JPT)
REYNOLDS, J. J., AND COFFER, H. F.: *Discussion on Mechanics of Hydraulic Fracturing,* 167 (June JPT)
RICHARDSON, J. G.: *Calculation of Waterflood Recovery from Steady-State Relative Permeability Data,* (Tech. Note) May JPT, 64
RICHARDSON, J. G., AND PERKINS, F. M. JR.: *Laboratory Investigation of Effect of Rate on Recovery of Oil by Water Flooding,* 114 (Apr. JPT); discussion, 59 (Nov. JPT)
ROBINSON, R. L.: *Temperature Effect on Formations During Jet Perforating,* (Art.) May JPT 12
ROCKWOOD, S. H., et al.: *Reservoir Volumetric Parameters Defined by Capillary Pressure Studies,* 252 (Sept. JPT)
ROHR, E. H.: *Reservoir Study of the Roosevelt Pool, Utah* (Field Case Hist.) Oct. JPT, 23
ROSENWALD POOL. *See* Oklahoma
ROOSEVELT POOL, Utah: reservoir study, a field case history, Oct. JPT, 23
RUSSELL, W. L.: *New Instrument for Measuring Bulk and Grain Volumes,* (Tech. Note) July JPT, 51

S

SACROC UNIT OPERATIONS: Kelly-Snyder field, Texas, field case history, July JPT, 21
SANDERLIN, J. L., et al.: *Laboratory Study of Gravity Segregation in Frontal Drives,* 275 (Oct. JPT); discussion, 281 (Oct. JPT)
SANDSTONE: cores, grain density measurements, 237 (Aug. JPT)
SAUDI ARABIA: status in Middle East oil industry, (Art.) Apr. JPT, 21
SAUNDERS, C. D., and MELTON, L. L.: *Rheological Measurements of Non-Newtonian Fluids,* 196 (July JPT)
SCALE: formed by insoluble mineral deposits in oil wells: prevention by phosphate sequestering agents, (Art.) Apr. JPT, 17
SCHAUER, P. E. JR.: *Fractional Balance Evaluation of Pressure Maintenance, Smackover Lime Gas-Condensate Reservoir, McKamie-Patton Field, Arkansas,* 108 (Apr. JPT)
SCHILD, A.: *A Theory for the Effect of Heating Oil Producing Wells,* 1 (Jan. JPT)
SCINTILLATION COUNTER: principles, stability requirements, and photomultiplier fatigue, 231 (Aug. JPT)
SCHNITZ, L. B., et al.: *Calculation of Depletion History and Future Performance of Gas-Cap-Drive Reservoir,* 218 (July JPT)
SEALING COMPOUND: for tubing joint leaks, use underground, (Tech. Note) March JPT, 67
SECONDARY RECOVERY (*see also* PROCESSES): bank financing of projects, (Art.) March JPT, 22
gas drive: *See* Gas
heat applied to oil sands: field test results and possibility of profitable operation, (Art.) Feb. JPT, 16
oil-bank formation: study with transparent model, 295, 301 (Oct. JPT)
waterflooding. *See* Waterflooding
SEPARATION: oil and gas: mechanical, a science, (Art.) Apr. JPT, 11
SEPARATORS: oil field for separating gas and liquid: vertical, horizontal, spherical, (Art.) Apr. JPT, 11
SEQUESTING AGENTS for prevention of scale in oil wells, (Art.) Apr. JPT, 17
SHERBORNE, J. E.: *Today's Petroleum Engineering Graduate—Will He Meet Tomorrow's Challenge?* (Art.) Aug. JPT, 15
SHERBORNE, J. E., and MCEWEN, C. R.: *Impact of Research on Oil Recovery,* (Art.) Feb. JPT, 11
SIMARD, G. L., GONDOUIN, M., and TIXIER, M. P.: *Experimental Study on Influence of Chemical Composition of Electrolytes on SP Curve,* 58 (Feb. JPT); discussion, 71 (Feb. JPT)
SLIBAR, A., and PASLAY, P. R.: *Laminar Flow of Drilling Mud Due to Axial Pressure Gradient External Torque,* 310 (Nov. JPT)
SLOBOD, R. L., and KOCH, H. A. JR.: *Miscible Slug Process,* 40 (Feb. JPT)
SLUSSER, M. L., and GLENN, E. E.: *Factors Affecting Well Productivity—II. Drilling Fluid Particle Invasion into Porous Media,* 132 (May JPT)
SLUSSER, M. L., GLENN, E. E., and HUITT, J. L.: *Factors Affecting Well Productivity—I. Drilling Fluid Filtration,* 126 (May JPT)
SMITH, M. R., and HENDERSON, J. H.: *Performance of a Solution Gas Drive Reservoir, Rosenwald Pool, Oklahoma,* (Field Case Hist.) Jan. JPT, 25

SOLVENT FLOODING (*see also* Secondary Recovery): gravity segregation, model study, 275, 281 (Oct. JPT)
uniformity of flood front, influence on, 275, 281 (Oct. JPT)
with modified gas drive: laboratory study, 48 (Feb. JPT)
SOUTH WARD FIELD, TEXAS: Johnson lease, performance history, 283 (Oct. JPT)
reservoir engineering analysis of performance, 283 (Oct. JPT)
SP LOG: influence of chemical composition of electrolytes, 58, 71 (Feb. JPT)
STAMM, H. E. III, et al.: *Calculation of Depletion History and Future Performance of Gas-Cap-Drive Reservoir,* 218 (July JPT)
STILES, W. E.: *Olympic Pool Water Flood,* (Field Case Hist.) Feb. JPT, 29
STRANGE, W. D., and HUDDLESTON, B. P.: *Future of Aerated Fluids in the Drilling Industry,* (Art.) Aug. JPT, 11
STUTZMAN, L. F., and THODOS, GEORGE: *Frontal Drive Production Mechanisms—New Method for Calculating Displacing Fluid Saturation at Breakthrough,* (Tech. Note) Apr. JPT, 67
SUCKER-ROD GUIDES: prevention of buckling of tubing in pumping wells: charts and formulas, 73 (March JPT)
SYRIA: status in Middle East oil industry, (Art.) Apr. JPT, 21

T

TAIL PIPE: prevention of buckling of tubing in pumping wells: charts and formulas, 73 (March JPT)
TEK, M. R.: *Development of a Generalized Darcy Equation,* (Tech. Note) June JPT, 45
TEK, M. R., et al.: *Method for Predicting Back Pressure Behavior of Low Permeability Natural Gas Wells,* 302 (Nov. JPT)
TEMPERATURE: distribution in flowing gas wells, 169 (June JPT)
TENSAMMETRIC RESPONSE CURVES: characteristics depend on geologic formation from which brines come, (Tech. Note) Aug. JPT, 53
TENSION ANCHORS: prevention of buckling of tubing in pumping wells; charts and formulas, 73 (March JPT)
TETRACHLOROETHYLENE: use in non-plugging perforating fluids, 177 (June JPT)
TEXAS: South Ward field. *See* South Ward
unit operation, Kelly-Snyder field, field case history, July JPT, 21
THERMAL RECOVERY PROCESS: theory of effect in producing wells, 1 (Jan. JPT)
THODOS, GEORGE, and STUTZMAN, L. F.: *Frontal Drive Production Mechanisms—New Method for Calculating Displacing Fluid Saturation at Breakthrough,* (Tech. Note) Apr. JPT, 67
TIXIER, M. P., GONDOUIN, M., and SIMARD, G. L.: *Experimental Study on Influence of Chemical Composition of Electrolytes on SP Curve,* 58 (Feb. JPT); discussion, 71 (Feb. JPT)
TIXIER, M. P., et al.: *Interpretation of the Induction-Electrical Log in Fresh Mud,* 202 (July JPT); discussion, 215 (July JPT); discussion, 61 (Dec. JPT)
TRUBE, A. S.: *Compressibility of Natural Gases,* (Tech. Note) Jan. JPT, 69
Compressibility of Undersaturated Hydrocarbon Reservoir Fluids, 341 (Dec. JPT)
TRUE, M. E., and O'REILLY, W. M.: *Subsurface Sealing of Tubing Thread Leaks,* (Tech. Note) March JPT, 67
TUBING: joint thread leaks: sealing underground: technique, equipment, and sealing compound, (Tech. Note) March JPT, 67
in pumping wells: buckling effect and means for controlling it, 73 (March JPT)

U

UNITED STATES: petroleum for our future progress, (Art.) March JPT, 14
stake in Middle East oil, (Art.) Apr. JPT, 21
UNIT OPERATION: Kelly-Snyder field, Texas, field case history, July JPT, 21
Wilson Creek field, Colorado, field case history, Aug. JPT, 23
UTAH: Roosevelt pool. *See* Roosevelt

V

VAN MEURS, P.: *Use of Transparent Three-Dimensional Models for Studying the Mechanism of Flow Processes in Oil Reservoirs,* 295 (Oct. JPT); discussion, 301 (Oct. JPT)
VENEZUELA: Bolivar Coastal field: LL-370 reservoir: gas injection performance, field case history, June JPT, 19
Boscán field: producing viscous fluids, field case history, May JPT, 27
Greater Oficina area: gas detection by dual-spacing neutron logs, 140 (May JPT)
VOLUMETRIC ANALYSIS: reservoir parameters defined by capillary pressure data, 252 (Sept. JPT)

W

WALKER, E. B., and GROSMANGIN, MICHEL: *Gas Detection by Dual-Spacing Neutron Logs in the Greater Oficina Area, Venezuela,* 140 (May JPT)
WALLICK, G. C.: *Note on Transient Two-Phase Flow Calculations,* (Tech. Note) Oct. JPT, 47
WALTER, H.: *Application of Heat for Recovery of Oil: Field Test Results and Possibility of Profitable Operation,* (Art.) Feb. JPT, 16
WARREN, J. E., and DE WITTE, A. J.: *Discussion on Effect of Fluid Pressure Decline on Volumetric Changes of Porous Rocks,* 339 (Dec. JPT)
WASHINGTON FIELD, LOUISIANA: calculation of pressure-depletion performance of gas-condensate reservoir, 102 (Apr. JPT)
WATERFLOODING (*see also* Secondary Recovery): bank financing of project, (Art.) March JPT, 22
calculation of reservoir performance, 245 (Aug. JPT)
capillary forces, effect, laboratory investigation, (Tech. Note) Nov. JPT, 49
channeling by injected water: discovery by brine-fresh water interface method of profiling, (Art.) July JPT, 11
connate water displaces oil initially, 190 (July JPT)
displacing fluid saturation at breakthrough, new method of calculating, (Tech. Note) Apr. JPT, 67

five-spot: mobility ratio, influence on injection or production histories, Apr. JPT, 71
study with transparent model, 295, 301 (Oct. JPT)
gravity segregation, model study, 275, 281 (Oct. JPT)
injected water displaces connate water, 190 (July JPT)
injection wells: selective plugging by in situ reactions, (Art.) Jan. JPT, 17
natural or artificial: reservoir performance, calculation, 245 (Aug. JPT)
pattern conductivity: effect of horizontal fractures in thick reservoirs, model study, (Tech. Note) Oct. JPT, 50
Olympic pool, Oklahoma: production and injection history to Jan. 1, 1956, field case history, Feb. JPT, 29
Pembina field, Canada, field case history, Sept. JPT, 25
performance calculated from steady-state relative permeability data, (Tech. Note) May JPT, 64
plugging, selective, of injection wells by in situ reactions, (Art.) Jan. JPT, 17
profiling injection wells by brine-fresh water interface method, (Art.) July JPT, 11
rate of water advance, effect on recovery of oil, laboratory investigation, 114 (Apr. JPT); 59 (Nov. JPT)
reservoir engineering analysis of performance data, Johnson lease, South Ward field, Texas, 283 (Oct. JPT)
scale deposition in injection wells: prevention by phosphate sequestering agents, (Art) Apr. JPT, 17
selective plugging of input wells, theory, methods, and results, (Art.) March JPT, 26
uniformity of flood front: influences on, 275, 281 (Oct. JPT)
WAVE ACTION: calculation of force on sunken obstruction, 227 (Aug. JPT)
WELL COMPLETION: shaped charges, development, 11 (Jan. JPT)
WELL LOGGING: gamma-ray: formation density, 289 (Oct. JPT)
WELL PRODUCTIVITY: factors affecting: drilling fluid particle invasion into porous media, 132 (May JPT)
drilling fluid filtration, 126 (May JPT)
WELL STRATA INDEX: obtained from neutron conversion charts, (Art.) Sept. JPT, 11
WHITE, E. J. and BAPTIST, O. C.: *Clay Content and Capillary Behavior of Wyoming Reservoir Sands*, (Tech. Note) Dec. JPT, 57
WHITE, R. J.: *Bottom-Hole Pressure Reduction Due to Gas Cut Mud*, (Tech. Note) July JPT, 49
WHITE, M. M. et al.: *Microbit Dynamic Filtration Studies*, 183 (June JPT)
WIELAND, D. R., and KENNEDY, H. T.: *Measurements of Bubble Frequency in Cores*, 122 (Apr. JPT)
WILKIN, F. L., and JENSON, P. E.: *Discussion on Interpretation of Induction-Electrical Log in Fresh Mud*, 215 (July JPT)
WILLIS, D. G., and HUBBERT, M. K.: *Mechanics of Hydraulic Fracturing*, 153 (June JPT); discussion, 167 (June JPT)
WINN, R. H.: *Log Interpretation in Heterogeneous Carbonate Reservoirs*, 268 (Sept. JPT)
WILSON CREEK FIELD, COLORADO, field case history, Aug. JPT, 23
WOODDY, L. D. JR., and MOORE, W. D.: *Performance Calculations for Reservoirs with Natural or Artificial Water Drives*, 245 (Aug. JPT)
WORLEY, M. S., and LAURENCE, L. L.: *Oil and Gas Separation IS a Science*, (Art.) Apr. JPT, 11
WYOMING: formation water saturation, laboratory study by semipermeable barrier method, (Tech. Note) Dec. JPT, 57
reservoir sands. *See* Reservoir Sands

Y

YEMEN: status in Middle East Oil industry (Art.) Apr. JPT, 21
YOUMANS, ARTHUR, and MONAGHAN, RALPH: *Stability Requirements for Scintillation Counters Used in Radio-activity Logging*, 231 (Aug. JPT) ★★★